















American Solar Energy Society (ASES), San Francisco, California




Figure 24: Cooling, Heating, Lighting Loads

## REFERENCES

- Cho, S., MirianHosseinAbadi, S., (2013), "Simulation Modeling of Ground Source Heat Pump Systems for the Energy Performance Analysis of Residential Buildings in the Mid-Atlantic Region." Proceedings of BS2013:13th Conference of International Building Performance Simulation Association, Chambéry, France, August 26-28
- Falahi, G., 2014. Design, Modeling and Control of Modular Multilevel Converter based HVDC Systems.
- Guglielmetti, R., & Scheib, J. (2012). Challenges to integrated daylighting and electric lighting simulation methods in a whole-building energy simulation context. Paper presented at the Proceedings of the 2012 Simbuild Conference.
- Hatton, B. D., Wheeldon, I., Hancock, M. J., Kolle, M., Aizenberg, J., & Ingber, D. E. (2013). An artificial vasculature for adaptive thermal control of windows. *Solar Energy Materials and Solar Cells*, 117, 429-436.
- Malekafzali, A., Hu, J., (2015), Daylighting Assessment and Optimization of Multi-Zone Electrochromic Glass Window Integrated with Light Shelf, Plea, Italy
- Malekafzali, A., Falahi, G.,(2015), Using JMP to find predictive model of electrochromic window behavior for future optimization, JMP Discovery Summit Conference
- MirianHosseinAbadi, S., and Cho, S., Song S., (2014), "Technologies for real-time Performance M&V and Commissioning using BAS and EMCS in existing buildings." Presented at 2014 Solar Conference by